

Ideal for high volume locations

LDR-8 S + 8 S auto-clean Electric

Increase production and profit, reduce labor cost, and maximize return on investment with our stacked Large Deli Rotisserie!

The stacked LDR auto-clean has energy efficient high speed convection with double loop, perfectly roasting a batch of 2x 56-48 (1.2kg-1.8kg) chickens!

Fast cooking and low water consumption

The LDR-8 S + 8 S auto-clean reduces operational and maintenance costs. It boasts an impressively minimal water usage and, notably, it lacks door seals that would require frequent replacement.

The **Cook Correction Technology** corrects alterations in the cooking cycle that are due to half-loads, overloads, or products with a difference in temperature. It measures abnormalities in the temperature curve and corrects the cycle automatically, ensuring food-safety and energy-efficient cooking.

The **Eco Cooking function** uses residual heat in the last cooking phase, saving up to 5% on energy consumption.

The LDR can be equipped with Wi-Fi – Efficient operations, lower service costs and increased uptime: enjoy the benefits of the **Smart Connect IoT-based platform (both optional)**.



Features LDR-8 S + 8 S auto-clean Electric

Top features

- Extremely high loading capacity
- High-speed double loop convection; energy saving technology
- Automatic cleaning system - Low water consumption
- 2x 56-48 (1.2kg-1.8kg) chickens perfectly roasted

Standard characteristics

- 2x 8 meatfork/V-spit or 2x 7 basket positions
- Rotor for up to 2x 56-48 chickens (1.2kg-1.8kg) per batch
- Easy to use touch screen controls
- 250 programs with up to 9 cook stages per program
- Cook correction and eco-cooking save on energy use & ensuring food safety
- USB connection for easy transfer of data and programs
- Striking cooking theatre due to large glass surface and brilliant lighting
- Safety stop when opening the door during cooking
- Double glass doors, safe to touch
- Automatic cleaning system compatible with Fri-Jado rotisserie cleaning products
- Get remote access to your equipment fleet with one mouse click with the cloud based IoT-platform; SmartConnect gives you remote access for recipe management, quality & hygiene data, and service management will enhance operational efficiencies (optional)

Accessories

- Meat forks
- Multi purpose baskets
- Inserts for multi purpose baskets
- V-spits
- Butterfly chicken racks
- Skewer cart for V-spits
- Wall rack for V-spits



Powerful two-in-one cleaner



IoT-platform SmartConnect (optional)



V-spit wall rack / Skewer cart (optional)



Auto-clean function

LDR-8 S + 8 S Auto-Clean Electric

LDR-8 S + 8 S Auto-Clean Electric

Dimensions

Width	1285 mm
Depth	975 mm
Height	2130 mm

Technical data





Net weight	367 kg
Gross weight	420 kg
Voltage	400/230 V
Phase	3N~
Frequency	50/60 Hz
Required power	41.2 kW

Additional technical data

Water connection (aerated)	¾"
Min. water pressure	2 bar
Max. water pressure	5 bar
Acidity	7.0 - 8.0 pH
Chlorides	<30 ppm
Hardness*	<4 dH
Drain - open connection	2x > 40 mm

Water hardness and descaling filters:

A descaling filter is advised when the hardness of the water is >4° dH (4 Grains/Gal). A descaling filter is mandatory when the hardness of the water is >20° dH (20 Grains/Gal)



Specifications and technical data are subject to amendment without prior notice.

These are basic drawings. For more detailed technical information, please refer to the service manual at www.frijado.com